

# AQUAPROOF


Wet room tanking system

Aquaproof system has been developed specifically to tackle the problem of leakages from tiled wet room areas. Aquaproof system can be applied to ply sheeting, pre-formed shower tray formers, plasterboard, MDF, screed and most commonly used construction boards including Wedi and Marmox.

Once applied the Aquaproof system can resist normal movement in the room and will not become brittle with age.

With Aquaproof system a fully tanked room can be achieved preventing damage to wall/floor substrates and leakages into rooms below.

- ✓ Fully waterproof
- ✓ Breathable (water vapor permeable)
- ✓ Flexible system
- ✓ Reinforcing tape at all joints / pipe entries
- ✓ Simple application
- ✓ Silicone compatible
- ✓ Creates a perfect surface for tiling with standard waterproof tile adhesives
- ✓ Compatible with under floor heating
- ✓ User friendly (virtually odor free)



# AQUAPROOF

Wet room tanking system

## Aquaproof - The system

### Aquaproof primer

A solvent free, highly absorbable primer for porous surfaces, including plaster, plaster board, wood, screed, concrete



### Aquaproof tape

Fabric reinforced, elastic sealing tape for wall/floor junctions and other areas subject to stress.



### Aquaproof compound

Solvent free, silicone compatible sealing membrane and adhesive supplied as a thick paste. Applied in 2-3 coats to give a 1mm thick robust and elastic rubber membrane.



# AQUAPROOF

Wet room tanking system

## Aquaproof corners

Internal and external corners can be formed with Aquaproof tape, but for ease of use and extra security we can supply pre-made 90 degree internal and external corners.



## Aquaproof sleeves

Pipe sleeves are supplied pre-made with elasticated hole to seal around water inlet pipes. Shower outlet sleeves are supplied in sheets 350mm x 350mm with fabric border (you cut your own hole) for sealing in to floor drainage outlet.



## Aquaproof shower kits

Contains the Aquaproof material that you need for a small to medium size wet room. Contents: 5kg Aquaproof Primer, 15kg Aquaproof Compound, 15 lin.m Aquaproof tape, 2 pipe sleeves, 1 Shower outlet sleeve. The compound supplied is sufficient to waterproof a surface area of approx. 12 sq.m.



Extra materials and pre-made corners may be ordered in conjunction with the shower kits.